

## References

- Abdul Latif Ahmah, S. I. (2003). Desalination. Water recycling from palm oil mill effluent (POME) using membrane technology, 1.
- Angelidaki, L. Ellegaard, B. K. Ahring, 1993. A mathematical model for dynamic simulation of anaerobic digestion of complex substrates: focusing on ammonia inhibition. *Biotechnol. Bioeng*, 42, 159–166.
- Born, J., 2005. From Sugar Factories to Biorefineries. *Baltic Biorefinery Symposium*, pp. 23–32. ISBN: 87-7606-009-8.
- C. F. Liu, X. Z. Yuan, G. M. Zeng, W. W. Li, J. Li, 2008. Prediction of methane yield at optimum pH for anaerobic digestion of organic fraction of municipal solid waste. *Bioresour. Technol.* 99 (4), 882–888.
- Chynoweth, D.P., 2004. Biomethane from energy crops and organic wastes. In: International Water Association (Eds.), *Anaerobic Digestion 2004. Anaerobic Bioconversion ... Answer for Sustainability*, Proceedings 10th World Congress, vol. 1, Montreal, Canada. [www.ad2004montreal.org](http://www.ad2004montreal.org), pp. 525–530.
- Demirel, B. and Yenigun, O. 2002 Two-phase anaerobic digestion processes: A Review. *Journal of Chemical Technology and Biotechnology*, 77.
- E. Dace, D. Blumberga, I. Veidenbergs, 2015. Modeling syngas composition in an integrated system of biomass gasification. *Electrolysis and methanation. Energy Proc*, 75, pp. 801–806.
- E. Dace, J. Rusanova, J. Gusca, D. Blumberga, 2014. Selecting a catalyst for methanation process: Technical and economic performance based TOPSIS Analysis. *Proc 27th int conf effic cost, optim simul environ impact energy syst, ECOS 2014*, Aabo Akademi University.
- Elefsiniotis, P. and Oldham, W.K. 1994b Influence of pH on the acid-phase anaerobic digestion of primary sludge. *Journal of Chemical Technology and Biotechnology*, 60, 89-96
- G. Esposito, L. Frunzo, A. Giordano, F. Liotta, A. Panico, F. Pirozzi, 2012. Anaerobic co-digestion of organic wastes. *Rev Environ Sci Biotechnol*.
- Holm-Nielsen, J. (2009, November). *Bioresource Technology*. The future of anaerobic digestion and biogas utilization.
- J. Gao, Y. Wang, Y. Ping, D. Hu, G. Xu, F. Gu, F. Su, 2012. A thermodynamic analysis of methanation reactions of carbon oxides for the production of synthetic natural gas. *RSC Adv*, 2 (6), pp. 2358–2368
- J.H. Tay (1991) Complete reclamation of oil palm wastes *Resources Conservation and Recycling*, 5 (1991), pp. 383–392

Karine Arrhenius, SP, Ulrika Johansson, SP. (2012, Sep). Characterisation of contaminants in biogas before and after upgrading to vehicle gas. Characterisation of contaminants in biogas before and after upgrading to vehicle gas, 1.

K. M. Kangle, S.V. Kore, G.S. Kulkarni, 2012. Recent Trends in Anaerobic Codigestion: A Review. Review Article, Volume 2, Issue 4: 210-219.

Koji Hashimotoa, Naokazu Kumagaib, Koichi Izumiyab, Hiroyuki Takanob, Hiroyuki Shinomiyab, Yusuke Sasakib, Tetsuya Yoshidab, Zenta Katoa, 2016. The use of renewable energy in the form of methane via electrolytic hydrogen generation using carbon dioxide as the feedstock. Applied Surface Science, Volume 388, Part B, 608–615.

Kristensson, I. et al., 2007. Biogas på gasnätet utan propantillsats. Rapport SGC 176, 1102-7371, ISRN SGC-R-176-SE, pp. 6–18.

Mata-Alvarez J, Mace S, Llabres P (2000) Anaerobic digestion of organic solid wastes. An overview of research achievements and perspectives. Bioresour Technol 74: 3–16

Nielsen, L.H., Hjort-Gregersen, K., Thygesen, P., Christensen, J., 2002. Samfundsøkonomiske analyser af biogasfællesanlæg. Rapport 136. Fødevareøkonomisk Institut, København (Summary in English).

Ningning Zhai, Tong Zhang, Dongxue Yin, Gaihe Yang, Xiaojiao Wang, Guangxin Ren, Yongzhong Feng, 2015. Effect of initial pH on anaerobic co-digestion of kitchen waste and cow manure. Waste Management.

N Oswala, P. S. (2002). Bioresource Technology. Palm oil mill effluent treatment by a tropical marine yeast.

Pandey, A. and Ramakrishna, S.V. (1990) Management of effluent from edible oil (palm oil) industry. In: Pollution Management in Food Industries Symposium, pp. 159-171.

Parawira, W. (2004). Anaerobic Treatment of Agricultural Residues and Wastewater- Application of High-Rate Reactors. Anaerobic Treatment of Agricultural Residues and Wastewater- Application of High-Rate Reactors.

Parveen Fatemeh Rupani, R. P. (2010). Review of Current Palm Oil Mill Effluent (POME) Treat Methods: Vermicomposting as a Sustainable Practice, 1193.

Persson, M., Jönsson, O., Wellinger, A., 2006. Biogas upgrading to vehicle fuel standards and grid injection. IEA Bioenergy, Task 37 – Energy from Biogas and Landfill Gas, 2006.

S. Ghosh, M. Henry, A. Sajjad, M. Mensinger, J. Arora, 2000. Pilot-scale gasification of municipal solid wastes by high-rate and two-phase anaerobic digestion (TPAD). Water Sci. Technol., 41 (3), pp. 101–110.

S. Kalyuzhnyi, L.E. de los Santos, J.R. Martinez Anaerobic treatment of raw and preclarified potato-maize wastewater in a UASB reactor, *Bioresource Technology*, 66 (1998), pp. 198–199

Tchobanoglous, H. Theisen, S. Vigil, 1993. *Integrated solid waste management*. McGraw-Hill Inc, New York. The organic fraction of municipal solid waste for the production of liquid fuels".

Van der Berg, L., Kennedy, K.J., 1983. Comparison of advanced anaerobic reactors. In: *Proceedings of III International Conference on Anaerobic digestion*, August 1983, Boston, NRCC no. 22613

X. Zhang, W. Qiu, H. Chen, 2012. Enhancing the hydrolysis and acidification of steam-exploded cornstalks by intermittent pH adjustment with an enriched microbial community. *Bioresour. Technol.*, 123, pp. 30–35.

Yee-Shian Wong, Tjoon-Tow Teng, Soon-An Ong, M. Norhashimah, M. Rafatullah, Jing-Yong Leong, 2014. Methane gas production from palm oil wastewater an anaerobic methanogenic degradation process in continuous stirrer suspended closed anaerobic reactor. *Journal of the Taiwan Institute of Chemical Engineers*, 45, Issue 3, 896–900.